

SELECTED BIBLIOGRAPHY ON STORKS, IBISES, AND SPOONBILLS 1984

Supplement to: World Working Group on Storks, Ibises and Spoonbills Report No. 2 (1984)

Prepared by: Charles S. Luthin
Chairman, World Working Group on Storks, Ibises, and Spoonbills
International Council for Bird Preservation

Produced by: W. W. Brehm Fund for International Bird Conservation,
Vogelpark Walsrode, 3030 Walsrode, West Germany

ORGANIZATION

- I. **AMERICAS (NORTH, CENTRAL, SOUTH)**
STORKS - *Mycteria americana*
IBISES - *Eudocimus* spp. and *Plegadis* spp.
GENERAL (OTHER SPECIES, MIXED SPECIES)
- II. **EUROPE, W. ASIA, AFRICA**
STORKS - *Ciconia ciconia*
IBISES - *Geronticus calvus* and *Geronticus eremita*
EUROPE & W. ASIA (OTHER SPECIES)
AFRICA (OTHER SPECIES)
- III. **ASIA (EAST, SOUTH)**
- IV. **AUSTRALIA**
- V. **MIXED SPECIES GENERAL (ECOLOGY, ETHOLOGY)**
- VI. **PALEAONTOLOGY / EVOLUTION**
- VII. **CLASSIFICATION**
- VIII. **DISEASES / PARASITES**
- IX. **CONSERVATION**
- X. **CAPTIVE BREEDING & OBSERVATIONS**

* = present in WWG-SIS library (Vogelpark Walsrode)

I. AMERICAS

(NORTH, CENTRAL, SOUTH)

STORKS - *Mycteria americana*

- * Browder, J. A. 1978. A modeling study of water, wetlands, and Wood Storks. In: Sprunt, A., J. C. Ogden, and S. Winckler (eds.). Wading Birds. Research report 7 of the National Audubon Society, New York. 325-346.
- * Clark, E. S. 1979. The attentiveness and time budget of a pair of nesting Wood Storks. Proc. Colonial Waterbird Group 3: 204-215.
- * Clark, E. S. 1979. Factors affecting the initiation and success of nesting in an east-central Florida (USA) Wood Stork colony. Proc. 1978 Conference of the Colonial Waterbird Group, New York. 178-188.
- Kahl, M. P. 1962. Bioenergetics of growth in nestling Wood Storks. Condor. 64(3): 169-183.
- Kahl, M. P. 1963. The bill-snap reflex: a feeding mechanism in the American Wood Stork. Nature. 199(4892): 505-506. (with L. J. Peacock)
- Kahl, M. P. 1963. Thermoregulation in the Wood Stork, with special reference to the role of the legs. Physiological Zoology. 36(2): 141-151.
- Kahl, M. P. 1964. Food ecology of the Wood Stork (*Mycteria americana*) in Florida. Ecological Monographs. 34(2): 97-117.
- Kushlan, J. A., J. C. Ogden, and A. L. Higer. 1975. Relation of water level and fish availability to Wood Stork reproduction in the southern Everglades, Florida (USA). U. S. Geol. Survey Open File Rep. 75-434.
- * Ogden, J. C., J. Kushlan, and J. Tilmant. 1976. Prey selectivity by the Wood Stork. Condor. 78: 324-330.
- * Ogden, J. C., J. A. Kushlan, and J. T. Tilmant. 1978. The food habits and nesting success of Wood Storks in Everglades National Park in 1974. Natural Resources Report No. 16. National Park Service. 16 p.
- * Ogden, J. C., and S. A. Nesbitt. 1979. Recent Wood Stork population trends in the United States. Wilson Bull. 91(4): 512-523.
- * Ogden, J. C., and B. W. Patty. 1981. The recent status of the Wood Stork in Florida and Georgia. Proc. Nongame and Endangered Wildlife Symp. 13 - 14 August, 1981, Athens, Georgia. 97-103.
- * Snyder, N., J. C. Ogden, J. D. Bittner, and G. A. Grau. 1984. Larval dermestid beetles *Dermestes nidum* feeding on nestling Snail Kites, *Rostrhamus sociabilis*, Wood Storks *Mycteria americana*, and Great Blue Herons *Ardea herodias*. Condor. 86(2): 170-174.

IBISES - *Eudocimus* spp.

- Below, T. H. 1979. First report of pellet ejection in eleven species. Wilson Bull. 91(4): 626-628. (*Eudocimus albus*)
- * Betlam, J., and B. H. de Jong. 1983. Redt de Rode Ibissen. Het Vogeljaar 31(4): 192-198. (Dutch, with English and French summaries) (*Eudocimus ruber*)
- * Bildstein, K. L. 1983. Age-related differences in the flocking and foraging behavior of White Ibises in a South Carolina (USA) salt marsh. Col. Waterbirds 6: 45-53.
- * Bundy, C. 1965. A new Floridian: the Scarlet Ibis. Audubon 67: 84-85.
- * de Jong, B. H. J. 1983. Inventarisatie Rode Ibis langs de kust van de Guianas in 1982. Het Vogeljaar 31(3): 156-157. (Dutch) (*Eudocimus ruber*)
- * de Jong, B. H. (unpubl. report). Distribution and abundance of some colonial waterbirds along the coast of the Guyanas in June, 1983. (*Eudocimus ruber*, et al)

- * de Visscher, M. N., 1976. Aspectos de manejo del Parque Nacional Morrocoy en base a un estudio ecologico de su avifauna. FAO, Doe. de Trabajo No. 9. (*Eudocimus ruber*)
- * ffrench, R. P., and F. Haverschmidt. 1970. The Scarlet Ibis in Surinam and Trinidad. Living Bird 9: 147-165.
- Fox, D. L. 1962. Carotenoids of the Scarlet Ibis. Comp. Biochem. Phys. 5: 31-43.
- Fox, D. L. and T. S. Hopkins. 1966. Carotenoid fractionation in the Scarlet Ibis. Comp. Biochem. Phys. 19: 267-278.
- * Gladstone, D. E. 1979. Promiscuity in monogamous colonial birds. American Naturalist 114(4): 545-558. (*Eudocimus albus*)
- * Green, T. 1975. Roosting birds and the dangers of a gas barge. Smithsonian 6(2): 34-41. (*Eudocimus ruber*)
- Henderson, E. G. 1981. Behavioral ecology of the searching behavior of the White Ibis (*Eudocimus albus*). unpubl. M. S. thesis. Columbia: University of South Carolina. 71 p.
- Kilham, L. 1980. Association of Great Egret *Casmerodium albus* and White Ibis *Eudocimus albus*. J. Field Ornith. 51(1): 73-74.
- Kushlan, J. A. 1973. Promiscuous mating behavior in the White Ibis. Wilson Bull. 85: 331-332.
- * Kushlan, J. A. 1976. Site selection for nesting colonies by the American White Ibis *Eudocimus albus* in Florida. Ibis 118: 590-593.
- * Kushlan, J. A. 1977. Sexual dimorphism in the White Ibis. Wilson Bull. 89(1): 92-98.
- * Kushlan, J. A. 1977. Foraging behavior of the White Ibis. Wilson Bull. 89(2): 342-345.
- * Kushlan, J. A. 1977. Population energetics of the American White Ibis. Auk 94(1): 114-122.
- * Kushlan, J. A., and M. S. Kushlan. 1975. Food of the White Ibis in southern Florida. Florida Field Naturalist 3: 31-38.
- * Lambert, F. 1983. Report on a brief ornithological visit to Trinidad. (unpubl. Report for International Council for Bird Preservation, Cambridge, England) (*Eudocimus ruber*)
- Lindblad, J. 1969. Journey to Red Birds. New York: Hill and Wang.
- * Luthin, C. 1984. Scarlet Countdown. Birds Magazine (Winter, 1984, in press).
- * Nesbitt, S., W. Hetrick, and L. Williams, Jr. 1974. Foods of White Ibis from seven collection sites in Florida. Proc. S. E. Assoc. Game Fish Comm. 28: 517-532.
- * Ramo, C., E. Aguilera, B. Busto, and S. Reid. 1983. Censo aero-preliminar de las colonias de cría de *Eudocimus ruber* y otras aves acuáticas de los llanos de Venezuela. Rev. UNELLEZ de Ciencia y Tecnología 1(1): 61-69.
- * Ramo, C., and B. Busto. 1983. Are Scarlet Ibis, *Eudocimus ruber*, and White Ibis, *Eudocimus albus*, different species? Donana Acta Vert. 9: 404-408. (Spanish, English summ.)
- * Ramo, C. and B. Busto. 1984. Censo aero de corocoros (*Eudocimus ruber*) y otras aves acuáticas en Venezuela. (unpubl. report of 1983 aerial census in Venezuela). 30 p.
- * Risdon, D. 1969. The breeding of Scarlet Ibises. Avicult. Mag. 75: 165-167.
- Ridgway, R. 1884. Remarks upon the close relationship between the White and Scarlet ibises (*Eudocimus albus* and *Eudocimus ruber*). Auk. 1: 239-240.
- * Rudegeair, T. 1975. The reproductive behavior and ecology of the White Ibis (*Eudocimus albus*). PhD Thesis. Univ. of Florida. 147 p.
- * Rudegeair, T. 1975. The gular pouch of the female White Ibis. Auk. 92: 168-169.
- * Spaans, A. 1975. On the present breeding status of the Scarlet Ibis *Eudocimus ruber* along the north-eastern coast of South America. Biol. Conserv. 7: 245-253.
- * Spaans, A. L. 1982. De Rode Ibis: een pronkjuweel van de overstromingsvlaktes van tropisch Zuid-Amerika. Het Vogeljaar 30: 189-193. (*Eudocimus ruber*).

- * Spaans, A. L. (unpubl. report). Organochlorine contaminants in South American Scarlet Ibises. preliminary report. 1 p.
- * Spaans, A. L. and B. H. de Jong. 1982. Present status of some colonial waterbird species in Suriname, South America. J. Field Ornithol. 53(3): 269-272. (*Eudocimus ruber*).
- Stinner, D. H. 1980. Estimate of wading birds in the Macks Island Rookery, Okefenokee Swamp, Georgia (USA), 1979. Georgia J. Science 138(3-4): 181-184. (*Eudocimus albus*).
- Teixeira, D. M., and R. C. Best. 1981. Adendas a ornitologia do Territorio Federal do Amapa. Bol. do Museu Paraense Em. Goeldi (Zoologia) 104: 1-25. (*Eudocimus ruber*).
- * Wrege, P. H. 1980. Social foraging strategies of White Ibis, *Eudocimus albus*. unpubl. PhD dissert. Ithaca, New York: Cornell University.
- * Zahl, P. 1950. Search for the Scarlet Ibis in Venezuela. Nat. Geog. Mag. 97: 633-661.
- * Zahl, P. 1967. New scarlet bird in Florida skies. Nat. Geog. 132: 874-882.


IBISES - *Plegadis* spp.

- * Baynard, O. E. 1913. Home lift of the Glossy Ibis (*Plegadis autumnalis* Linn.). Wilson Bull. 84(3): 103-17.
- Beaver, D. L., R. G. Osborn, and T. W. Custer. 1980. Nest site and colony characteristics of wading birds in selected Atlantic Coast colonies. Wilson Bull. 92(2): 200-220. (*Plegadis falcinellus*).
- * Buckley, F. G. 1978. Colony site selection by colonial waterbirds in coastal New Jersey (USA). Proc. Colonial Waterbird Group 1978: 17-26. (*Plegadis falcinellus*).
- * Burger, J. 1978. The pattern and mechanism of nesting in mixed-species heronries. In: Sprunt, A., J. C. Ogden, and S. Winckler (eds.). Wading Birds. Research report 7 of the National Audubon Society, New York. 45-58. (*Plegadis falcinellus*).
- * Burger, J. 1979. Resource partitioning: nest site selection in mixed species colonies of herons, egrets, and ibises. American Midland Naturalist 101(1): 191-210. (*Plegadis chihi*, *Plegadis falcinellus*).
- * Burger, J., and L. M. Miller. 1977. Colony and nest site selection in White-faced and Glossy Ibis (*Plegadis*). Auk 94: 664-676.
- * Byrd, M. A. 1978. Dispersal and movements of six North American ciconiiformes. In: Sprunt, A., J. C. Ogden, and S. Winckler (eds.). Wading Birds. Research report 7 of the National Audubon Society, New York. 161-185. (*Plegadis falcinellus*).
- Capen, D. E. 1977. The impact of pesticides on the White-faced Ibis. PhD thesis. Logan: Utah State University. 84 p.
- * Capen, D. E. 1977. Eggshell thickness variability in the White-faced Ibis. Wilson Bull. 89(1): 99-106.
- Capen, D. E., and T. J. Leiker. 1979. DDE residues in blood and other tissues of White-faced Ibis (*Plegadis chihi*). Environ. Pollution 19(2): 163-171.
- * Davis, W. E., Jr. 1979. Analysis of the vocalizations of four heron and ibis species. Proc. Colonial Waterbird Group 3: 216-224. (*Plegadis falcinellus*).
- Erwin, R. M. 1983. Feeding habitats of nesting wading birds: spatial use and social influences. Auk 100(4): 960-970. (*Plegadis falcinellus*).
- King, K. A., D. L. Meeker, and D. M. Swineford. 1980. White-faced Ibis *Plegadis chihi* populations and pollutants in Texas (USA), 1969-1976. Southwest Naturalist 25(2): 225-240.
- Miller, L. M. 1976. Expansion dynamics and breeding biology of the Glossy Ibis, *Plegadis falcinellus*. M. S. thesis. Rutgers University, New Brunswick, New Jersey.
- * Miller, L. M., and J. Burger. 1978. Factors affecting nesting success of the Glossy Ibis. Auk 95: 353-361.
- Ogden, J. C. 1981. Nesting distribution and migration of Glossy Ibis *Plegadis falcinellus* in Florida, USA. Florida Field Nat. 9(1): 1-6.
- * Olrog, C. C. 1975. Vagrancy of Neotropical Cormorant, Egrets, and Whitefaced Ibis. Bird-Banding 46(3): 207-212. (*Plegadis chihi*).
- * Ryder, R. A. 1967. Distribution, migration and mortality of the White-faced Ibis (*Plegadis chihi*) in North America. Bird-Banding 38(4): 257-277.

GENERAL (OTHER SPECIES, MIXED SPECIES)

- * Aguilera, E. 1982. Foraging strategies of eight Threskiornithidae species living in sympatry in Venezuelan Llanos. Preliminary summary. (unpublished). 3 p.
- * Allen, R. P. 1942. The Roseate Spoonbill. Research Report 2, National Audubon Society. New York: National Audubon Society.
- * Ayarzaguna Sanz, J., J. Perez T., and C. Ramo H. 1981. Los Garceros del Llano. (publication of Cuadernos Lagoven). Caracas, Venezuela.
- * Bent, A. 1926. Life Histories of North American Marsh Birds. USGPO. Smithson. Inst. U.S. Nat. Mus. Bull. 135. 386 p.
- * Blacklock, G. W., and R. D. Slack. 1978. The Texas colonial waterbird census, 1973-1976. Proc. Colonial Waterbird Group, 1978: 99-104. (*Mycteria americana*, *Eudocimus albus*, *Plegadis chihi*, *Ajaia ajaja*).
- Blus, L. J., and T. G. Lamont. 1979. Organochlorine residues in six species of estuarine birds from South Carolina (USA), 1971-1975. Pestic. Monitor. J. 13(2): 56-60. (*Eudocimus albus*, *Plegadis falcinellus*).
- * Boyd, H. (ed.). 1983. First Western Hemisphere waterfowl and waterbird symposium, Proceedings of the International Waterfowl Research Bureau Symposium held in Edmonton (Canada) 25-28 May, 1982. Ottawa, Ontario, Canada: Canadian Wildlife Service. 147 pp.
- Burger, J., and J. R. Trout. 1979. Additional data on body size as a difference in niche. Condor 81(3): 305-307. (*Ajaia ajaja*, *Plegadis chihi*, *Plegadis falcinellus*).
- * Camacho, M. G. 1983. Notas de Aves Acuáticas en Nicaragua: Pancho Galan (*Jabiru mycteria* Lichtenstein). (report to Depto. de Fauna Silvestre, IRENA, Managua).
- Castetter, R. C., and H. O. Hill. 1979. Additions to the birds of the Nevada (USA) test site. Western Birds 10(4): 221-223. (*Ajaia ajaja*).
- * Custer, T. W., and R. G. Osborn. 1978. Feeding habitat use by colonially-breeding herons, egrets, and ibises in North Carolina. Auk 95: 733-743.
- Custer, T. W., R. G. Osborn, and W. F. Stout. 1980. Distribution, species abundance, and nesting site use of Atlantic Coast colonies of herons and their allies. Auk 97(3): 591-600. (*Ajaia ajaja*, *Eudocimus albus*, *Plegadis falcinellus*).
- * Haedo, J. A. 1969. Notas ornitológicas observaciones sobre la Ciguena *Euxenura maguari* (Gmelin). Acta Zool. Lilloana 25(4): 21-28.
- * Kahl, M. P. 1971. Observations on the Jabiru and Maguari Storks in Argentina, 1969. Condor 73: 220-229.
- * Knoder, C. E., P. D. Plaza, and A. Sprunt (IV). 1980. Status and distribution of the Jabiru Stork and other water birds in western Mexico. In: Schaeffer and Ehlers (eds.). 1980. 58-127.
- * Kushlan, J. A. 1976. Wading bird predation in a seasonally fluctuating pond. Auk 93(3): 464-476. (*Mycteria americana*, *Eudocimus albus*).
- * Kushlan, J. A. 1978. Feeding ecology of wading birds. In: Sprunt, A., J. C. Ogden, and S. Winckler (eds.). Wading Birds. Research report 7 of National Audubon Society, New York. 249-297.

- * **Kushlan, J. A.** 1979. Prey choice by tactile-foraging wading birds. Proc. Colonial Waterbird Group 3: 133-142. (*Mycteria americana, Eudocimus albus*).
- * **Kushlan, J. A.** 1983. Special species and ecosystem preserves: colonial waterbirds in US national parks. Environmental Management 7(3): 201-207. (*Mycteria, Eudocimus*).
- * **Kushlan, J. A., G. Morales, and P. C. Frohring**, in press. Foraging niche relations of wading birds in the wet savannas of the Florida Everglades and Venezuelan Llanos. (numerous stork & ibis species).
- * **Luthin, C. S.** 1983. Observations on the breeding ecology and behavior of three Neotropical ibises (Threskiornithidae) on a ranch in Central Venezuela. unpubl. M.S. thesis, University Wisconsin, Madison. 71 p.
- Luthin, C.**, 1983. Breeding ecology of Neotropical ibises in Venezuela and comments on captive propagation. Proc. Jean Delacour/IFCB Symposium. International Foundation for the Conservation of Birds, Hollywood, California. 95-124.
- * **Luthin, C.** in press. Status of storks and ibises in the Americas. Proc. II Iberoamerican Ornithological Congress, December, 1983, Xalapa, Mexico.
- * **Morales, G., and N. Leon.** 1983. Las Aves pescadoras de los módulos de Mantecal. Natura 73 (Enero): 22-27. (Ciconiidae, Threskiornithidae in Venezuela).
- * **Nores, M., and D. Yzurieta.** 1980. Aves de Ambientes acuáticos de Córdoba y Centro de Argentina. Córdoba: Dirección de Caza, Pesca, y Actividades Acuáticas, Academia Nacional de Ciencias de Córdoba. 238 pp.
- * **Ogden, J. C.** 1978. Recent population trends of colonial wading birds on the Atlantic and Gulf coastal plains. In: Sprunt, A., J. C. Ogden, and S. Winckler (eds.). Wading Birds. Research report 7 of National Audubon Society, New York. 137-153. (*Mycteria americana, Eudocimus albus, Plegadis falcinellus*).
- * **Ohlendorf, H. M., E. E. Klaas, and T. E. Kaiser.** 1979. Environmental pollutants and egg-shell thickness in Anhingas and wading birds in the eastern USA. U.S. Fish and Wildlife Service Special Scientific Report-Wildlife 216. 1-89. (*Mycteria americana, Eudocimus albus, Plegadis falcinellus*).
- * **Osborn, R. G., and T. W. Custer (eds.)**. 1978. Herons and their allies: Atlas of Atlantic Coast colonies, 1975 and 1976. Biological Services Program, U.S. Fish and Wildlife Service, FWS/OBS-77/08. 211 pp. (*Eudocimus, Plegadis*).
- * **Portnoy, J. W.** 1978. A wading bird inventory of coastal Louisiana (USA). In: Sprunt, A., J. C. Ogden, and S. Winckler (eds.). Wading Birds. Research report 7 of the National Audubon Society, New York. 227-234. (*Eudocimus albus, Plegadis spp*).
- * **Ramo, C., and J. Ayarzagüena.** 1983. Fauna Llanera, Apuntes sobre su Morfología y Ecología. Caracas: Cuadernos Lagoven. 84 p.
- Robertson, W. B., L. L. Breen, and B. W. Patty.** 1983. Movement of marked Roseate Spoonbills in Florida with a review of present distribution. J. Field Ornithol. 54: 225-236.
- * **Rodgers, J. A.** 1979. Feeding energetics of herons and ibises at breeding colonies. Proc. 1979 Conference of the Colonial Waterbird Group. DeKalb, Illinois (USA): Northern Illinois University. 128-132. (*Eudocimus albus, Plegadis falcinellus*).
- Russell, J.** 1978. Effects of interspecific dominance among egrets commensally following Roseate Spoonbills. Auk. 95: 608-610.
- * **Salvadori, T.** 1900. On the ibises of the genus *Theristicus*. Ibis: 501-517.
- * **Schaeffer, P. P., and S. M. Ehlers (eds.)**. 1980. Proceedings of the National Audubon Society Symposium, The Birds of Mexico: Their Ecology and Conservation. Tiburon (CA): National Audubon Society Western Education Center. 137 pp. (*Jabiru, Mycteria, Eudocimus, Plegadis, Platalea*).
- * **Scott, D. A.** 1982. Wetlands and waterfowl in South America: a continental perspective. (unpublished report given at IWRB Symposium held in Edmonton, Canada, 25-28 May, 1982). (*Eudocimus r.*, et al.).
- * **Short, L. L.** 1975. A zoogeographic analysis of the South American chaco avifauna. Bull. Am. Mus. Nat. Hist. 154(3): 163-352.
- * **Sprunt, A. (VI), and C. E. Knoder.** 1980. Populations of wading birds and other colonial nesting species on the Gulf and Caribbean coasts of Mexico. In: Schaeffer and Ehlers (eds.), 1980. 3-16.
- * **Thomas, B.** 1979. The birds of a ranch in the Venezuelan Llanos. In: Eisenberg, J. (eds.). Vertebrate Ecology of the Northern Neotropics. Smithsonian Press. Washington. 213-232.
- * **Thomas, B.** 1981. Jabiru nest, nest building, and quintuplets. Condor 83: 84-85.
- White, D. H., C. A. Mitchell, and E. Cromartie.** 1982. Nesting ecology of Roseate Spoonbills *Ajaia ajaja* at Nueces Bay, Texas, USA. Auk 99(2): 275-284.
- * **Wood, C.** 1923. The Cayenne or River Ibis in British Guiana. Condor. 25: 199-201.



II. EUROPE, W. ASIA, AFRICA

STORKS- *Ciconia ciconia*

- * **Bairlein, F., and G. Zink.** 1979. Der Bestand des Weißstorches *Ciconia ciconia* in Südwestdeutschland: eine Analyse der Bestandsentwicklung. J. Ornithol. 120(1): 1-11.
- * **Bauer, Z.** 1966. Hnizdění čápa černého, *Ciconia nigra* L.a Cápa Bilého, *Ciconia ciconia* L. V severní části Východního Slovenska. Biológia, Bratislava 21(2): 139-142.
- * **Béla, J.** 1976. Nombrado de cikonioj en Hungario, La rezulto de registrado en la jaro 1974. La Mevo 31.
- * **Bloesch, M.** 1980. Drei Jahrzehnte Schweizerischer Storchansiedlungsversuch (*Ciconia ciconia*) in Altretu, 1948-1979, Erfahrung bei Haltung, Aufzucht und Ansiedlung der Versuchsstörche. Ornithol. Beobachter 77: 167-194.
- * **Bloesch, M.** 1982. Sechsergelege beim Weißstorch *Ciconia ciconia*. Ornithol. Beobachter 79: 39-44.
- * **Bloesch, M., M. Dizerens, and E. Sutter.** 1977. Die Mauser der Schwungfedern beim Weißstorch *Ciconia ciconia*. Ornithol. Beobachter 74: 161-188. (Wing moult in the White Stork *Ciconia ciconia*).
- * **Blümel, H.** 1984. Zur Brutbiologie des Weißstorchs. Falke 31(4): 128-130.
- * **Böhme, F., and U. Zuppke.** 1974. Der Bestand des Weißstorchs (*Ciconia ciconia*) im Kreis Wittenberg (Bezirk Halle) von 1955 bis 1970. Beitr. Vogelkd. Leipzig 20(1,2): 67-104.
- * **Bruun, B.** 1980. Ooievaarstragedie in de Sinai. Lepelaar 68 (May / June): 103.
- * **Candeias, D.** 1977. A Cegonha Branca, sua distribuição em Portugal. Lisboa: Secretaria de Estado do Ambiente, CEMPA. 21 p. (summary in English).
- * **Candeias, D.** 1979. Recenseamento da Cigomha-Branca, Elementos Referentes ao Inquérito de 1978-1979. Lisboa: Secretaria de Estado do Ambiente, CEMPA. 7 p.
- * **Candeias, D.** 1981. Recenseamento da Cigomha-Branca, Inquérito de 1980-1981. Lisboa: Servicio de Estudos do Ambiente, CEMPA. 5 p.

- * Chozas, P. 1983. Estudios general sobre la dinámica de la población de la Cigüeña blanca, *Ciconia ciconia ciconia* (L.) en España. Doctoral thesis, Universidad Complutense de Madrid. 313 p.
- * Chozas, P. 1984. Situacion de la poblacion de la Cigüeña blanca, *Ciconia ciconia*, en Espana segun los ultimos censos nacionales (1979 y 1981). Bol. Estación Central Ecología 13 (25): 29-48.
- * Creutz, G. 1977. Helft dem Storch! Eine Anleitung zum Handeln. Berlin: Kulturbund der Deutschen Demokratischen Republik. 13 p.
- * de Haan, N. A. 1980. Waarom verdwijnt de ooievaar uit Europa? Lepelaar 68 (May / June): 100-102.
- * Dornbusch, M. 1984. Wieviele Störche? Aufruf zu einer Be-standsauftnahme des Weißstorches 1984. Falke 31(4): 126-127.
- * Dybbro, T. 1981. Können wir den Storch in Dänemark retten? Kobenhavn, Dansk Ornithologisk Forening. 32 p.
- Fruhstück, H. 1982. Population of the White Stork, *Ciconia ciconia*, in Burgenland, Austria, during 1979 and 1980. Egretta 25: 33-36. (German).
- * Hayman, P., D. Jonkers, and P. van Zalinge. 1983. Ooievaars in Nederland. Grasduinen/Oberon bv Haarlem. 121 p. (Storks in Netherlands). (*Ciconia ciconia*).
- * Heckenroth, H. 1967. Beobachtungen über die Rechtswendung des wegziehenden Weißstorches am Golf von Iskenderum. Vogelwarte 24(3-4): 246-262.
- * Heckenroth, H. 1969. Der Weißstorch-Bestand von Nordwest-Griechenland 1968. Vogelwarte 25(1): 19-23.
- * Heckenroth, H. 1969. Der Weißstorch-Bestand 1965 im westlichen Mitteleuropa. Vogelwarte 25(1): 27-46.
- * Hemke, E. 1984. Über den Schutz des Weißstorches, *Ciconia ciconia* (L.), in der Deutschen Demokratischen Republik (DDR). Lounais-Hämeen Luonto 70: 54-56.
- * Jakubiec, Z. 1978. Preliminary results of White Stork census in Poland, in 1974. Przeglad Zoologiczny 22(2): 180-183. (Polish, English summ.).
- * Jakubiec, Z. 1982. Niezwykla lokalizacja gniazda bociana bialego (Unusual location of nest of White Stork, *Ciconia ciconia*). Przeglad Zoologiczny 26(2): 187-189.
- * Jonkers, D. 1977. De Stand van de Ooievaar in 1977. Het Vogeljaar 25(6): 298-304. (*Ciconia ciconia*).
- * Jonkers, D. 1978. Gegevens over de Ooievaar in 1978 in Nederland. Het Vogeljaar 26(6): 283-290. (*Ciconia ciconia*).
- * Jonkers, D. 1979. De Ooievaar in 1979 in Nederland. Het Vogeljaar 27(6): 286-292. (*Ciconia ciconia*).
- * Jonkers, D. 1980. Op het spoor van de ooievaar. Lepelaar 68 (May / June): 92-95. (*Ciconia ciconia*).
- * Jonkers, D. 1980. Veertien Jongen vlogen in 1980 uit: Resultaten van de ooievaarscensus in 1980. Het Vogeljaar 28(6): 301-306. (*Ciconia ciconia*).
- * Jonkers, D. 1981. Het ooievaarsjaar 1981. Het Vogeljaar 29(6): 289-294. (*Ciconia ciconia*).
- * Jonkers, D. 1982. Kunnen wij de Ooievaar in Nederland behouden? Zeist: Nederlandse Vereinigung tot Bescherming van Vogels. 19 p. (*Ciconia ciconia*).
- * Jonkers, D. 1982. De Nederlandse Ooievaars in 1982. Het Vogeljaar 30(6): 297-301. (*Ciconia ciconia*).
- * Jonkers, D. 1983. De verspreiding van de Ooievaar in 1983. Het Vogeljaar 31(6): 285-291. (*Ciconia ciconia*).
- * Jovetic, R. 1961. The life of the White Stork, *Ciconia ciconia*, in Macedonia. Larus 15: 23-66.
- * Kaatz, C. 1980. Ein Storchenhof in Loburg. Falke 27: 30-31.
- * Kaatz, C. 1980. Sicherung von Weißstorchhorsten auf Schornsteinen. Falke 29: 127-130.
- * Kaatz, C., and K. Spange. 1980. Schutz des Weißstorchs im Bezirk Magdeburg. Naturschutzarbeit in den Bezirken Halle und Magdeburg 17(2): 15-26.
- Kaleta, E. F., and N. Kumerfeld. 1983. Herpes viruses and New-castle disease viruses in White Storks *Ciconia ciconia*. 1983. Avian Pathol. 12(3): 347-352.
- * Klemm, W. 1983. Zur Lage des Weißstorches (*Ciconia ciconia*) in der S.R. Rumänien (The status of the White Stork (*Ciconia ciconia*) in SR Roumania. Ökol. Vögel (Ecol. Birds) 5: 283-293.
- * Koch, A., D. Magnus, H. Seilkopf, and H. Baron. 1966. Der Weißstorch-Zug im Raum Sinai bis Kena in landschaftsmorphologischer Sicht. Vogelwarte 23(3): 209-220.
- * Kumerloewe, H. 1966. Zu Brutverbreitung und Durchzug des Weißstorches, *Ciconia ciconia* (L.), in Kleinasien. Vogelwarte 23(3): 221-224.
- * Kumerloewe, H. 1977. Über die Südgrenze der Brutverbreitung des Weißstorchs, *Ciconia ciconia* (L., 1758) im Vorderen/Mittleren Orient. Bonn. zool. Beitr. 28(3,4): 292-298.
- * Kumerloewe, H. 1979. Weitere Unterlagen über den Brutbestand des Weißstorchs, *Ciconia ciconia* (L., 1758), in der Türkei (1977). Bonn. zool. Beitr. 30(3-4): 313-334.
- * Lázaro M., M. E. 1984. Contribucion al estudio de la alimentacion de la Cigüeña blanca, *Ciconia c. ciconia* (L.) en Espana. Doctoral thesis, Universidad Complutense de Madrid. 332 p.
- * Martens, L. 1966. Brutvorkommen und Zugverhalten des Weißstorchs (*Ciconia ciconia*) in Griechenland. Vogelwarte 23(3): 191-208.
- * Paz, U. 1984. Even the stork in the heavens knows her times. Tzufit (Sunbird) (J. Israel Orn. Center) 2: 11-16. (English summary) (*Ciconia ciconia*).
- Prinzing, R. and K. Hund. 1982. Leg-excreting in the White Stork (*Ciconia ciconia*) - a thermoregulatory behaviour for body-cooling through the legs. Ökol. Vögel (Ecol. Birds) 4: 82-83. (German).
- * Radkiewicz, J. 1971. An inventory of nests of White Stork, *Ciconia ciconia*, in the District of Slubice (Voivodship of Zielona Góra). (? , No. 1, 1971): 1-16.
- * Radkiewicz, J. and Z. Góra. 1981. Brutkolonie des Weißstorchs an der mittleren Oder. Falke 28: 384-385.
- * Raviv, M. 1984. Ring findings of the White Stork in Israel. Tzufit (Sunbird) (J. Israel Orn. Center) 2: 17-28. (English summary).
- * Ritzel, L. 1980. Der Durchzug von Greifvögeln und Störchen über den Bosporus im Frühjahr 1978. Vogelwarte 30(3): 149-162. (*Ciconia ciconia*).
- * Schierer, A. 1967. La Cigogne blanche (*Ciconia ciconia*) en Alsace de 1948 à 1966. Lien ornithol. d'Alsace 7-8: 1-57.
- * Schierer, A. 1972. Mémoire sur la Cigogne blanche en Alsace (1948 à 1970). Ciconia 1. 8-78.
- * Schierer, A. 1979. La Nidification de la Cigogne Blanche en Moselle (1961 à 1977). Soc. d'Histoire Naturelle de la Moselle 42^e Bull.: 255-265.
- * Schierer, A. 1981. La Cigogne blanche, elle niche aussi dans l'Ouest de la France. L'Homme et L'Oiseau 19(1): 8-12.
- * Schierer, A. 1981. La Cigogne blanche (*Ciconia ciconia*) en Alsace de 1978 à 1980. Ciconia 5: 32-37.
- * Schierer, A. 1983. Cigogne. Encyclopédie d'Alsace 3. Strasbourg: Publitolat. 1728-1733. (*Ciconia ciconia*).
- * Schierer, A. 1983. Cronisme chez la Cigogne blanche (*Ciconia ciconia*). Ciconia 7:43-48.
- * Schmidt, E. 1973. Ökologische Auswirkungen von elektrischen Leitungen und Masten sowie deren Accessorien auf die Vögel. Beitr. Vogelkd. Leipzig 19(5): 342-362. (*Ciconia ciconia*).
- * Schmitt, B. 1967. Notes sur la Biologie de la Cigogne Blanche (*Ciconia ciconia*) D'Apres des Observations D'Oiseaux captifs. L'Oiseau 37(4): 316-335.
- * Schmitt, B. 1983. Etude Socio-biologique d'une Population de Cigognes Blanches (*Ciconia c. ciconia*) au Parc de L'Orangerie de Strasbourg. Ciconia 7(3): 113-132.
- * Schütz, E. 1962. Über die nordwestliche Zugscheide des Weißen Storches. Vogelwarte 21(4): 271-290. (*Ciconia ciconia*)

- * Schütz, E. 1963. Über die Zugscheiden des Weißstorchs in Afrika, Ukraine und Asien. Vogelwarte 22(2): 65-70.
- * Schütz, E. 1964. Zur Deutung der Zugscheiden des Weißstorchs. Vogelwarte 22(3,4): 195-223.
- * Schütz, E. 1967. Verbreitungsgrenzen der Westrasse des Weißstorchs (*Ciconia c. ciconia*). Vogelwarte 24(2): 116-122.
- * Schütz, E. 1976. Wieder weniger Störche! Umschau 76(8): 256-257. (*Ciconia ciconia*)
- * Schütz, E. 1978. Noch ein Kapitel Weißstorch. In: Kahl, M. P. 1978. Welt der Störche. Hamburg, Verl. P. Parey. 77-91.
- * Schütz, E. 1979. Rettet den Weißstorch! Naturforschende Gesellschaft und Rheinaubund, Schaffhausen (Switzerland). Flugblatt Serie II, Nr. 15. 44 p.
- * Schütz, E. 1980. Status und Veränderung des Weißstorch-Bestandes. Naturwissenschaftliche Rundschau 33(3): 102-105.
- * Schütz, E. 1980. Vom rechtlichen Schutz des Weißstorchs in Afrika. Ber. Dtsch. Sekt. Int. Rat Vogelschutz 20: 109-111.
- * Schütz, E. 1980. De zwarte toekomst van de witte ooievaar. Lepehaar 68 (May / June): 96-98. (*Ciconia ciconia*).
- * Schütz, E. 1981. The protection of the White Stork in African countries. Ökol. Vögel (Ecol. Birds) 3: 307-310.
- * Schütz, E. 1984. Weißstorch, Vogel des Jahres 1984. Deutsche Bund für Vogelschutz Merkblatt Nr. 83/12-012 (Kornwestheim, W. Germany). 8 p.
- * Schütz, E. 1984. Der Weißstorch-Wappenvogel ohne Lebensraum. Vögel 16(1): 6-11.
- * Schütz, E. and W. Gehlhoff. 1967. Die Brutverbreitung des Weißstorchs im Vorderen und Mittleren Orient. Vogelwarte 24(1): 48-63.
- * Schütz, E. and J. Szijj. 1961. Vom Weißstorchbestand in Deutschland 1934 bis 1958. J. Ornithol. 102(1): 28-33.
- * Schütz, E. and J. Szijj. 1972. Brief report on the changes in status of the White Stork since the international census 1958. Int. Coun. Bird Preserv. Bull. XI: 141-145.
- * Schütz, E. and J. Szijj. 1975. Bestandsveränderungen beim Weißstorch, fünfte Übersicht: 1959-1972. Vogelwarte 28(1): 61-93.
- * Semra, A. and J. Vozmediano. 1982. Huelva y Cádiz poseen las mayores colonias de cigüeñas blancas de Andalucía. Quercus (Dec.): 10-11. (*Ciconia ciconia*).
- * Sieffke, A. 1981. Dismigration und Oststreue beim Weißstorch (*Ciconia ciconia*) nach Beringungsergebnissen aus der DDR. (Dispersal and site tenacity of the White Stork (*Ciconia ciconia*) according to ringing results from the GDR). Zool. Jb. System. 108: 15-35.
- Triplet, P. 1982. Notes on wintering White Storks *Ciconia ciconia*. Oiseau 52: 372-373. (French).
- * van Ewijk, T. 1983. Ooievaars. Grasduinen (maandblad met hart voor de natuur) 3 (March, 1983): 27-41. (*Ciconia ciconia*).
- * Vos, C. 1979. 1ste Jaaroverzicht Ooievaarsbuitenstation Herwijnen (1st annual report of stork outstation-Herwijnen, Holland). 56 p. (*Ciconia ciconia*).
- * Vos, C. 1980. 2de Jaaroverzicht Ooievaarsbuitenstation Herwijnen (2nd annual report stork-outstation Herwijnen, Holland). 28 p. unpubl. report.
- * Vos, C. 1981. 3^e Jaaroverzicht Ooievaarsbuitenstation Herwijnen. (3rd annual report stork-outstation, Herwijnen, Holland). 10 p. unpubl. report.
- * Vos, C. 1982. 4^e Jaaroverzicht Ooievaarsbuitenstation Herwijnen. (4th annual report stork-outstation Herwijnen, Holland). 24 p. unpubl. report.
- * Vos, C. 1983. 5^e Jaaroverzicht van het Ooievaarsbuitenstation Herwijnen. (5th annual report stork-outstation Herwijnen, Holland). 28 p. unpubl. report.
- * Veroman, H. 1976. Distribution dynamics of the White Stork *Ciconia ciconia* in the Baltic area. Ornis Fenn. 53: 150-152.
- * Wijnendts, C. J. 1980. Het Nederlandse ooievaarsdorp. Lepehaar 68 (May / June): 99. (*Ciconia ciconia*).
- * Winterbottom, J. M. 1977. The White Stork in South Africa, 1974-1975. Ostrich 48: 116-118.
- * Zink, G. 1963. Populationsuntersuchungen am Weißen Storch (*Ciconia ciconia*) in SW-Deutschland. Proc. XIII Intern. Ornithol. Congr. 812-818.

- IBISES - *Geronticus calvus***
- * Allan, D. 1982. The status of the Bald Ibis in the Transvaal, 1982 progress report. unpubl. report for Nature Conservation Division, Transvaal Provincial Administration, South Africa.
- * Allan, D. 1983. The status of the Bald Ibis in the Transvaal, 1983 progress report. Transvaal Provincial Administration, Nature Conservation Division, South Africa.
- * Allan, D. 1983. Breeding success in the Bald Ibis, 1983 progress report. unpubl. report for Nature Conservation Division, Transvaal Provincial Administration, South Africa.
- * Allan, D. in press. The Bald Ibis-A false alarm? Fauna and Flora, conservation magazine of the Transvaal Nature Conservation Division.
- * Cooper, K. H., and K. Z. Edwards. 1969. A survey of Bald Ibis in Natal. Bokmakiere 21: 4-6.
- * Jaarsveld, J. van. 1979. The Bald Ibis. Flora and Fauna (Transvaal Nature Conservation Division) 35: 12-13.
- Manry, D. E. 1982. Habitat use by foraging Bald Ibises (*Geronticus calvus*). South Africa. J. Wildl. Res. 12(3): 86-93.
- Manry, D. E. 1984. Factors influencing the use of winter-burnt grassland by foraging Bald Ibises *Geronticus calvus*. South Africa. J. Zool. 19(1): 12-15.
- * Milstein, P. and W. R. Siegfried. 1970. Transvaal status of the Bald Ibis. Bokmakierie 22: 36-39.
- * Milstein, P., and S. W. Wolff. 1973. Status and conservation of the Bald Ibis in the Transvaal. J. South Africa. Wildl. Mgmt. Ass. 3(2): 79-83.
- * Siegfried, W. R. 1966. The Bald Ibis. Bokmakierie 18: 54-57.
- * Siegfried, W. R. 1966. The present and past distribution of the Bald Ibis in the Province of the Cape of Good Hope. Ostrich (Dec., 1966): 216-218.
- * Siegfried, W. R. 1971. The status of the Bald Ibis in southern Africa. Biol. Conserv. 3(2): 88-91.
- * Vincent, J., and G. Symons. 1948. Some notes on the Bald Ibis *Geronticus calvus* (Boddaert). Ostrich 19: 58-62.

- IBISES - *Geronticus eremita***
- * Deetjen, H. 1964. Nidification de *Geronticus eremita* près de Ouarazate. Alauda 32: 306-307.
- Dubois, P. 1979. Additional data on the status of some species observed in Morocco. Alauda 47(1): 43-45. (French) (*Geronticus eremita*).
- Heinze, J., and N. Krott. 1979. The bird world of Morocco 2. Vogelwelt 100(6): 225-227. (German). (*Geronticus eremita*).
- Hirsch, U. 1976. Beobachtungen am Waldrapp *Geronticus eremita* in Marokko und Versuch zur Bestimmung der Alterszusammensetzung von Brutkolonien. Ornithol. Beobachter 73: 225-235.
- * Hirsch, U. 1978. Artificial nest ledges for Bald Ibises. In: Temple, S.A. (ed.). Endangered birds: management techniques for preserving threatened species. Madison: University of Wisconsin Press. 61-69.
- * Hirsch, U. 1979. Hilfe für den Waldrapp. Wir und die Vögel II, 12-15.
- * Hirsch, U. 1979. Studies of west Palearctic birds: Bald Ibis. British Birds 72: 313-325. (*Geronticus eremita*).

- Hirsch, U.** 1980. The Waldrapp Ibis *Geronticus eremita*: The situation in the eastern part of its distribution area. *Vogelwelt* 101(6): 219-236. (German).
- * **Hirsch, U.** 1981. Conservation Project Bald Ibis: Waldrapp, *Geronticus eremita*, 1981. unpubl. report to WWF/IUCN.
- * **Hirsch, U.** 1982. Waldrapp Ibis, *Geronticus eremita*. (unpubl. report to World Wildlife Fund International, Gland, Switzerland).
- * **Hirsch, U.** 1983. Waldrapp Ibis, *Geronticus eremita*. (unpubl. report to World Wildlife Fund International).
- * **Hirsch, U., and A. Schenker.** 1977. Der Waldrapp (*Geronticus eremita*). Freilandbeobachtungen und Hinweise für eine artgemäße Haltung. *Zeitschr. Kölner Zoo* 20(1): 3-11.
- * **ICBP.** 1982. Introduction of the Waldrapp ibis, *Geronticus eremita*, to Rabat. Cambridge, England (unpubl. proposal).
- * **Kumerloeve, H.** 1967. Nouvelles Données sur la Situation de la Colonne D'Ibis Chevelus *Geronticus eremita* (L.) 1758 à Birecik sur L'Euphrate (Turquie). *Alauda* 35(3): 194-202.
- * **Kumerloeve, H.** 1969. Vom Waldrapp, *Geronticus eremita* (L., 1758), dem einstigen Brutvogel des Alpen. Vereins zum Schutz der Alpenpflanzen und -Tiere e.V. *Jahrbuch* 1969, 34: 1-7.
- * **Kumerloeve, H.** 1974. Bemerkungen zur Situation von Waldrapp und Kahlkopfibis. *Angewandte Ornithol.* 4(2,3): 114-116. (*Geronticus eremita*, *Geronticus calvus*).
- * **Kumerloeve, H.** 1978. Waldrapp, *Geronticus eremita* (Linnaeus, 1758), und Glattnackenrapp, *Geronticus calvus* (Boddaert, 1783): Zur Geschichte ihrer Erforschung und zur gegenwärtigen Bestands situation. *Ann. Naturhistor. Mus. Wien* 81: 319-349.
- * **Kumerloeve, H.** 1983. Zur Kenntnis altägyptischer Ibis-Darstellung, unter besonderer Berücksichtigung des Waldrapps, *Geronticus eremita* (Linnaeus, 1758). *Bonn. zool. Beitr.* 34(1-3): 197-234.
- * **Kumerloeve, H.** in press. The Waldrapp, *Geronticus eremita* (Linnaeus, 1758): Historical significance, taxonomic review, and present status. *Biol. Conservation*.
- * **Mallet, M.** 1975. The Waldrapp Ibis (*Geronticus eremita*). Jersey Wildlife Preservation Trust Twelfth Annual Report (1975): 26-33.
- * **Mallet, M. A.** 1977. Breeding the Waldrapp Ibis at Jersey Zoo. *Int. Zoo Yearbook* 17: 143-145.
- * **Michelmore, F., and W. L. R. Oliver.** 1982. Hand-rearing and development of Bare-faced Ibis chicks *Geronticus eremita* at the Jersey Wildlife Preservation Trust; with comparative observations of parent-rearing behavior. *Dodo* 19: 51-69.
- * **Oliver, W. L. R., Mallet, M. A., Singleton, D. R., and Ellett, J. S.** 1979. Observations on the reproductive behaviour of a captive colony of Bare-faced Ibis *Geronticus eremita*. *Dodo* 16: 11-35.
- * **Rencurel, P.** 1974. L'Ibis Chauve *Geronticus eremita* dans le Moyen-Atlas. *Alauda* 42(2): 143-158.
- * **Robin, P.** 1973. Comportement des colonies de *Geronticus eremita* dans le sud marocain, lors des périodes de sécheresse. *Bonn. zool. Beitr.* 24(3): 317-322.
- Safriel, U. N.** 1980. Notes on the extinct population of the Bald Ibis *Geronticus eremita* in the Syrian Desert. *Ibis* 122(1): 82-88.
- Sahin, R.** 1980. Erfolgreiche Volierenbrut der Waldrappen in der Türkei. *Orn. Mitt.* 32: 72-74.
- * **Sahin, R.** 1981. Breeding the Hermit Ibis *Geronticus eremita* in Birecik, Turkey. *Commun. Fac. Sci. Univ. Ankara Ser. C III Zool.* 25(4): 37-44. (German).
- * **Sahin, R.** 1982. Zur Form der Ehe freilebender Waldrappen (*Geronticus eremita*) in Birecik (Türkei). *Ornithol. Mitt.* 34: 162-163.
- * **Sahin, R.** 1982. Eltern - Kind Beziehungen der freilebenden Waldrappe (*Geronticus eremita* L.) in Birecik (Türkei). (Parent - young relationship of the free-living Bald Ibises (*Geronticus eremita* L.) in Birecik (Turkey)). *Ökologie der Vögel/Ecol. of Birds* 4(1): 1-7.
- Sahin, R.** 1982. Beitrag zum Fortpflanzungsverhalten der freilebenden Waldrappe (*Geronticus eremita* L.) in der Türkei. 1. Mitteilung: Ankunft, Paarbildung und Nisten. (Contributions to the reproductive behavior of the free-living Bald Ibises (*Geronticus eremita* L.) in Turkey. 1. Communication: Arrival, pair-building, and nests). *Ökol. Vögel/Ecol. Birds* 4: 181-190.
- Sahin, R.** 1983. Beitrag zum Fortpflanzungsverhalten der freilebenden Waldrappe (*Geronticus eremita* L.) in der Türkei. 2. Mitteilung: Paarung. (Contributions to the reproductive behavior of the free-living Bald Ibis (*Geronticus eremita* L.) in Turkey. 2nd communication: Copulation). *Ökol. Vögel/Ecol. Birds* 5: 63-72.
- * **Sahin, R.** 1983. Beitrag zum Fortpflanzungsverhalten der freilebenden Waldrappe (*Geronticus eremita* L.) in der Türkei. 3. Mitteilung: Eiablage, Brüten und Schlüpfen. (Contribution to the reproductive behavior of the free-living Bald Ibises (*Geronticus eremita* L.) in Turkey. 3rd Communication: Egg-laying, incubation, and hatching). *Ökol. Vögel/Ecol. Birds* 5: 255-262.
- * **Sahin, R.** 1983. Beitrag zum Fortpflanzungsverhalten der freilebenden Waldrappe (*Geronticus eremita* L.) in der Türkei. 4. Mitteilung: Fortpflanzungskämpfe. (Contribution to the reproductive behavior of the free-living Bald Ibises (*Geronticus eremita* L.) in Turkey). 4. Communication: reproductive fighting. *Ökol. Vögel/Ecol. Birds* 5: 263-270.
- * **Sahin, R.** 1983. Körper- und Nesthygiene der freilebenden Waldrappe (*Geronticus eremita*). *Ornith. Mitt.* 35: 152-155.
- * **Schenker, A.** 1976. Die Waldrappkolonie im Zoo Basel. *Bull. Vereins Freunde Zool. Gartens Basel* 37 (November): 9-13.
- * **Schenker, A.** 1977. Das ehemalige Verbreitungsgebiet des Waldrapps *Geronticus eremita* in Europa. *Ornitholog. Beobachter* 74: 13-30.
- * **Schenker, A.** 1979. Beobachtungen zur Brutbiologie des Waldrapps (*Geronticus eremita*) im Zoo Basel. *Zool. Garten N.F.* Jena 49(2): 104-116.
- * **Schenker, A.** 1980. Keeping and breeding the Waldrapp Ibis. *Int. Zoo News* 27: 9-15.
- Smith, K. D.** 1970. The Waldrapp *Geronticus eremita*. *Bull. Brit. Ornithol. Club* 90: 18-24.
- * **Staav, R.** 1977. Eremitibisen, en till sin existens hotad fagelart. *Fauna och Flora* 72(1): 39-41. (Swedish). (*Geronticus eremita*).
- Thaler, E., E. Ettel, and S. Job.** 1981. Social behavior of the Bald Ibis *Geronticus eremita*: Observations at the Alpen Zoo, Innsbruck, Austria. *J. Ornith.* 122(2): 109-128. (German).
- EUROPE & W.ASIA
(OTHER SPECIES)**
- Cambi, D.** 1982. Ornithological records in Foggia Province, Italy, marshlands and Gargano Promontory. *Riv. Ital. Ornitol.* 52(3-4): 137-153. (Italian). (*Ciconia ciconia*, *Plegadis falcinellus*, *Platalea leucorodia*).
- Csaba, J.** 1981. Data on the nesting of Black Stork (*Ciconia nigra*) in county Vas. *Aquila* 88: 27-29.
- * **Kumerloeve, H.** 1971. Zum Brutvorkommen des Sichlers, *Plegadis falcinellus* (L.), im Vorderen Orient. *Zoolog. Abhandl. (Staatl. Mus. Tierkunde Dresden)* 30(19): 243-246.
- Legany, A.** 1979. Data on the bird stock of the floodplain at Tiszafured, Hungary. *Tiscia (Szeged)* 13: 157-162. (*Platalea leucorodia*).
- * **Loiseau, A.-J.** 1977. Nidification de la Cigogne noire *Ciconia nigra* en Franche-Comté: première donnée française. *Alauda* 45(4): 335-346.
- Luttik, R.** 1980. Occurrence of Glossy Ibis in the Netherlands. *Dutch Birding* 2: 50-51. (Dutch, English summ.).
- * **Marčetić, M.** 1955. Black Stork, *Ciconia nigra*, in Vojvodina. *Larus* 9/10: 172-175.
- Marion, L., and P. Marion.** 1982. Nesting of the Spoonbill *Platalea leucorodia* on the lake of Grand-Lieu, France. *Alauda* 50(4): 241-249. (French).

- * **Thiede, U.** 1982. Japanibis und Japanische Nachtigall als Beispiele zweier Pole im Naturverständnis der Japaner. Hamburg: Gesellschaft für Natur- und Völkerkunde Ostasiens, Mitteilungen Band 90. 190 pp.
- * **Vinter, S.V.** 1976. Biology of the Oriental White Stork (*Ciconia boyciana* Swinhoe) in the Middle Amur Region. Problemy zoologii (Problems of Zoology). Leningrad. 21-23. (Russian).
- * **Wennrich, G.** 1982. Keeping Asian White Storks at Vogelpark Walsrode. Avicultural Magazine 88(3): 127-129.
- * **Yamashima, Yoshimara.** 1977. The status of endangered species in Japan. Bull. International Council for Bird Preservation: 100-103.
- * **Yamashima, Yoshimara.** 1978. The feeding of Japanese Crested Ibis. In Temple, S. A. (ed.) Endangered Birds. Madison: University of Wisconsin Press. 161-166.
- * **Yoshii, M.** 1971. The present status of the Japanese Crested Ibis and the Japanese White Stork. Bull. International Council for Bird Preservation: 168-169.

IV. AUSTRALIA

- Bekle, H.** 1982. Sacred Ibis *Threskiornis aethiopica* in Southwestern Australia. West. Austr. Nat. 15(2): 13-19.
- * **Carrick, R.** 1959. The food and feeding habits of the Straw-necked Ibis *Threskiornis spinicollis* (Jameson) and the White Ibis *Threskiornis molucca* (Cuvier), in Australia. CSIRO Wild. Res. 4: 69-92.
- * **Carrick, R.** 1962. Breeding, movements, and conservation of ibises (Threskiornithidae) in Australia. CSIRO Wild. Res. 7: 71-88.
- Cowling, S.J.** 1974. Observations on the White and Straw-necked Ibis feeding on the Australian plague locust. Emu 74: 256.
- * **Cowling, S.J., and K.W. Lowe.** 1981. Studies of ibises in Victoria, Australia 1. Records of breeding since 1955. Emu 81(1): 33-39. (*Threskiornis aethiopicus*, *Threskiornis spinicollis*, *Plagadis falcinellus*).
- Dennison, M. D., and H. A. Robertson.** 1979. Records of birds at Farewell Spit, New Zealand, 1974-1978. Notornis 26(2): 204-207. (*Plegadis falcinellus*).
- Gosper, D. G., S.V. Briggs, and S.M. Carpenter.** 1983. Water bird dynamics in the Richmond Valley, New South Wales, Australia, 1974-1977. Austral. Wildlife Res. 10(2): 319-328. (*Threskiornis spinicollis*).
- Howard, R. K., and K.W. Lowe.** 1984. Predation by birds as a factor influencing the demography of an intertidal shrimp. J. Exp. Mar. Biol. Ecol. 74(1): 35-52. (*Platalea regia*).
- * **Lowe, K.W.** 1982. Feeding behavior and diet of Royal Spoonbills *Platalea regia* in Westernport Bay, Victoria, Australia. Emu 82(3): 163-168.
- Lowe, K.** 1983. Egg size, clutch size, and breeding success of the Glossy Ibis *Plegadis falcinellus*. Emu 83: 31-34.
- * **McKilligan, N. G.** 1975. Breeding and movements of the Straw-necked Ibis in Australia. Emu 75(4): 199-212.
- Robertson, H. A., and B. E. Preece.** 1980. Juvenile Royal Spoonbills *Platalea regia* at the Manawatu Estuary, New Zealand. Notornis 27(2): 170-171.
- * **Vestjens, W. J.** 1973. Feeding of White Ibis on freshwater mussels. Emu 73: 71-72. (*Threskiornis a. mollucca*).
- * **Vestjens, W. J.** 1975. Feeding behaviour of spoonbills at Lake Cowal, NSW. Emu 75: 132-136.
- * **Waterman, M., D. Close, and D. Condon.** 1971. Straw-necked Ibis (*Threskiornis spinicollis*) in south Australia: breeding colonies and movements. S. Austral. Ornithol. 26: 7-11.
- Weber, R. P.** 1981. Viewing tower at Middle Lake Kerang (Victoria, Australia): preliminary results of a feasibility study. Fish Wildlife Papers Victoria 25: 1-14. (*Threskiornis aethiopica*, *Threskiornis spinicollis*).

V. MIXED SPECIES GENERAL (ECOLOGY / ETHOLOGY)

- * **Dornbusch, M.** 1982. Störche. Falke 29: 222-233.
- * **Kahl, M. P.** 1966. Comparative ethology of the Ciconiidae. Part 1. The Marabou Stork, *Leptoptilos crumeniferus* (Lesson). Behaviour, 27(1/2): 76-106.
- * **Kahl, M. P.** 1971. Food and feeding behavior of Openbill Storks. J. Orn. 112: 21-35.
- Kahl, M. P.** 1971. The courtship of storks. Natural History, 80(8): 36-45.
- * **Kahl, M. P.** 1971. Flapping rates of storks in level flight. Auk. 88(2): 428.
- * **Kahl, M. P.** 1972. Comparative ethology of the Ciconiidae. Part 2. The adjutant storks, *Leptoptilos dubius* (Gmelin) and *Leptoptilos javanicus* (Horsfield). Ardea. 60(1/2): 97-111.
- * **Kahl, M. P.** 1972. Comparative ethology of the Ciconiidae. Part 3. The wood-storks (genera *Mycteria* and *Ibis*). Ibis. 114(1): 15-29.
- * **Kahl, M. P.** 1972. Comparative ethology of the Ciconiidae. Part 4. The »typical« storks (genera *Ciconia*, *Sphenorhynchus*, *Dissoura*, and *Euxenura*). Zeitschrift für Tierpsychologie, 30(3): 225-252.
- * **Kahl, M. P.** 1972. Comparative ethology of the Ciconiidae. Part 5. The Openbill Storks (genus *Anastomus*). J. Ornithol. 113(2): 121-137.
- * **Kahl, M. P.** 1973. Comparative ethology of the Ciconiidae. Part 6. The Blacknecked, Saddlebill, and Jabiru Storks (genera *Xenorhynchus*, *Ephippiorhynchus*, and *Jabiru*). Condor, 75(1): 17-27.
- Kahl, M. P.** 1976. Comparative behavior and ecology of European and American storks. National Geographic Society Research Reports, 1968 Projects, pp. 173-176.
- * **Kahl, M. P.** 1971. Spread-wing postures and their possible functions in the Ciconiidae. Auk, 88(4): 715-722.
- Kahl, M. P.** 1978. Wonders of storks. New York: Dodd, Mead.
- * **Krebs, J. R.** 1978. Colonial nesting in birds, with special reference to Ciconiiformes. In: Sprunt, A., J. C. Ogden, and S. Winckler (eds.). Wading Birds. Research report 7 of the National Audubon Society, New York. 299-314. (all spp. Ciconiidae and Threskiornithidae).
- * **Soothill, E. and R. Soothill.** 1982. Wading Birds of the World. Dorset: Blandford Press. 334 p.

VI. PALEONTOLOGY / EVOLUTION

- Capanna, E., M.V. Civitelli, and C. Geralico.** 1982. The chromosomes of the Hadada Ibis *Hagedashia hagedash* and comments on the karyotype evolution in Threskiornithidae (Aves: Ciconiiformes). Cytogenet. Cell Genet. 34(1-2): 35-42.
- * **Collins, C.** 1964. Fossil ibises from the Rexroad fauna of the Upper Pliocene of Kansas (USA). Wilson Bull. 76(1): 43-49.
- Kurochkin, E. N.** 1982. New birds from the Middle Pliocene of Mongolia. Ornitologiya 17: 150-154. (Russian). (*Ciconia lucida*).
- * **Olson, S. L.** 1978. Multiple origins of the Ciconiiformes. Proc. Colonial Waterbird Group, 1978: 165-170.
- Olson, S. L.** 1981. The generic allocation of *Ibis pagana* with a review of fossil ibises (Aves: Threskiornithidae). J. Vert. Paleontol. 1(2): 165-170.
- * **Olson, S. and D.W. Steadman.** 1979. The humerus of *Xenicibis*, the extinct flightless ibis of Jamaica. Proc. Biol. Soc. Washington 92(1): 23-27.
- Peters, D. S.** 1983. *Rynchaeites messelensis* is an ibis. J. Ornithol. 124(1): 1-28. (German).
- * **Wetmore, A.** 1931. The avifauna of the Pleistocene in Florida (USA). Smithsonian Misc. Coll. 85(2): 17-18. (*Jabiru mycteria*, *Plegadis*, *Gaura* = *Eudocimus alba*).

VII. CLASSIFICATION

- * **Elliot, D. G.** 1877. Review of the Ibridinae, or subfamily of the ibises. Proc. Zool. Soc. London. 477-510.
- * **Holyoak, D.** 1970. Comments on the classification of Old World ibises. BBOC. 90(3): 67-73.
- * **Kahl, M. P.** 1971. Social behavior and taxonomic relationships of the storks. Living Bird, 10: 151-170.
- * **Kahl, M. P.** 1972. A revision of the family Ciconiidae (Aves). Journal of Zoology, 167(4): 451-461.
- Kahl, M. P.** 1972. Zur Benennung und zur taxonomischen Gruppierung der 17 Arten Störche (Ciconiidae). Vogelwarte, 26(3): 277-280. (with E. Schüz).
- * **Mayr, E., and G. Cottrell.** 1979. Checklist of Birds of the World. Vol. 1. Mus. Comp. Zool., Cambridge, Mass.
- * **Parkes, K. C.** 1978. A review of the classification of Ciconiiformes. In: Sprunt, A., J. C. Ogden, and S. Winckler (eds.7). Wading Birds. Research report 7 of National Audubon Society., New York: National Audubon Society. 7-15.
- * **Vanden Berge, J. C.** 1970. A comparative study of the apendicular musculature of the Order Ciconiiformes. Am. Midland Natural. 84: 289-364.
- Wood, D. S.** 1983. Phenetic relationship within the Ciconiidae (Aves). Ann. Carnegie Mus. 52(5): 79-112. (*Jabiru, Ephippiorhynchus, Ciconia, Leptoptilini*).

VIII. DISEASES / PARASITES

- Fain, A., and B. R. Laurence.** 1979. *Neottialges platalea* (new species) and other hypoderid mites (*Acarina astigmata*, Hypoderidae) from the Spoonbill, *Platalea leucorodia*. J. Nat. History 13(3): 333-336.
- Forrester, D. J.** 1980. Hermatoozoa and *Mallophaga* from the White Ibis *Eudocimus albus* in Florida USA. J. Parasit. 66(1): 58.
- Kaleta, E. F., and N. Kumerfeld.** 1983. Herpes viruses and Newcastle disease viruses in White Storks *Ciconia ciconia*. 1983. Avian Pathol. 12(3): 347-352.
- * **Snyder, N., J. C. Ogden, J. D. Bittner, and G. A. Grau.** 1984. Larval dermestid beetles *Dermestes nudum* feeding on nestling Snail Kites, *Rostrhamus sociabilis*, Wood Storks *Mycteria americana*, and Great Blue Herons *Ardea herodias*. Condor 86(2): 170-174.

IX. CONSERVATION

- * **Archibald, G., and S. Lantis.** 1978. Conservation of the Japanese Crested Ibis. Proc. Colonial Waterbird Group 1978: 1-15.
- * **Archibald, G. A., S. Lantis, L. Lantis, and I. Munetchika.** 1980. Endangered ibises (Threskiornithidae): their future in the wild and captivity. Int. Zoo. Yearbook. 20: 6-17.
- * **Bain, J., and S. Humphrey.** 1980. A profile of the endangered species of Thailand. Report No. 4, Office of Ecological Services, Florida State Museum, University of Florida, Gainesville.
- * **Betlam, J. and B. de Jong.** 1983. De rode ibis moord in Frans-Guiana. Het Vogeljaar 31(4): 192-198.
- * **Carrick, R.** 1962. Breeding movements and conservation of ibises in Australia. CSIRO Wildlife Res. 7: 71-89.
- * **Erwin, R. M., J. Kushlan, C. Luthin, I. Price, and A. Sprunt IV.** in press. Conservation of waterbirds in the Caribbean Basin: a summary of a panel discussion (October, 1983, San Juan, Puerto Rico, 7th Annual meeting of the Colonial Waterbird Group).
- Kahl, M. P.** 1972. The stork: a taste for survival. A chapter in the National Geographic Society book »The Marvels of Animal Behavior«.
- * **King, W. B.** 1981. Endangered Birds of the World, the ICBP Red Data Book. Washington: Smithsonian Institution Press.
- * **Manry, D.** in press. Ibises in peril. Living Bird Quarterly.

X. CAPTIVE BREEDING & OBSERVATIONS

- * **Archibald, K. M.** (in press): Captive management of the Eastern White Stork (*Ciconia boyciana*). Avicultural Magazine.
- Luthin, C.** 1983. Breeding ecology of Neotropical ibises (Threskiornithidae) in Venezuela, and comments on captive propagation. In Proc. Jean Delacour /IFCB Symp. on breeding birds in captivity. Los Angeles: International Foundation for the Conservation of Birds. 95-124.
- * **Luthin, C., G.W. Archibald, L. Hartman, C.M. Mirande, and S. Swengel.** in press. Captive breeding of endangered cranes, storks, ibises, and spoonbills: a summary. Int. Zoo Yearbook 24.
- * **Mallet, M.** 1975. The Waldrapp Ibis (*Geronticus eremita*). Jersey Wildlife Preservation Trust Twelfth Annual Report (1975): 26-33.
- * **Mallet, M. A.** 1977. Breeding the Waldrapp Ibis at Jersey Zoo. Int. Zoo Yearbook 17: 143-145.
- * **Michelmore, F., and W. L. R. Oliver.** 1982. Hand-rearing and development of Bare-faced Ibis chicks *Geronticus eremita* at the Jersey Wildlife Preservation Trust; with comparative observations of parent-rearing behavior. Dodo 19: 51-69.
- * **Neis, K.** 1979. Der Heilige Ibis im Zoologischen Garten Basel. Bull. Vereins Freunde Zool. Gartens Basel. 43: 11-13.
- * **Oliver, W., M. Mallet, D. Singleton, and J. Ellett III.** 1979. Observations on the reproductive behaviour of a captive colony of Bare-faced Ibis *Geronticus eremita*. Dodo. Journ. Jersey Wildl. Preserv. Trust. 16: 11-35.
- * **Risdon, D. H. S.** 1969. The breeding of the Scarlet Ibis. Avic. Mag. 75: 165-167.
- * **Risdon, D. H. S.** 1971. Breeding the Sacred Ibis and the Scarlet Ibis at the Tropical Bird Gardens, Rode. Int. Zoo Yearbook 11: 131-132.
- * **Robiller, F., and K. Trogisch.** 1982. Über die Schwarzstörche *Ciconia nigra* im Vogelpark Walsrode. Die Europäische Vogelwelt 2: 28-29.
- * **Schenker, A.** 1976. Die Waldrappkolonie im Zoo Basel. Bull. Vereins Freunde Zool. Gartens Basel 37(November): 9-13.
- * **Schenker, A.** 1979. Beobachtungen zur Brutbiologie des Waldrapps (*Geronticus eremita*) im Zoo Basel. Zool. Garten N. F. Jena 49(2): 104-116.
- Schenker, A.** 1980. Keeping and breeding the Waldrapp Ibis. Int. Zoo News 27: 9-15.
- * **Schmitt, B.** 1967. Notes sur la biologie de la cigogne blanche *Ciconia ciconia* d'après des observations D'oiseaux captifs. L'Oiseau. 37(4): 316-335.
- * **Stumpf, D.** 1977. Strohhalsibis - je gehört? Vereins Freunde Zool. Gartens Basel. 38: 6-10.
- * **Stumpf, D.** 1978. Zur Brutbiologie des Strohhalsibis (*Threskiornis spinicollis*). Gefiederte Welt 102: 72-76.
- Thaler, E., E. Ettel, and S. Job.** 1981. Social behavior of the Bald Ibis *Geronticus eremita*: Observations at the Alpen Zoo, Innsbruck, Austria. J. Ornith. 122(2): 109-128. (German).
- * **Wennrich, G.** 1981. Paarungszeremoniell beim Hagedash (*Hagedashia hagedash*). Die Völiere. 4(1): 27-29.
- * **Wennrich, G.** 1982. Junger Waldrapp (*Geronticus eremita*) beißt während der Handaufzucht sich selbst. Die Völiere 5(5): 181-182.
- * **Wennrich, G.** 1982. Sunbathing behaviour in five species of ibises (Threskiornithidae) at the Walsrode Bird Park, Germany. Avicultural Magazine 82(2): 96-100.
- * **Wennrich, G.** 1982. Keeping Asian White Storks at Vogelpark Walsrode. Avicultural Magazine 88(3): 127-129.
- * **Zuquim Antas, P. de Tarso,** 1979. Breeding the Scarlet Ibis at the Rio de Janeiro Zoo. Int. Zoo Yearbook. 19: 135-139.

